LIBRARY

MAR5 = 1954

U.S. Department

# RHODODENDRONS

CHOICE HYBRIDS

EXOTIC SPECIES



## H. L. LARSON

1132 NORTH 26TH STREET
TACOMA 3, WASHINGTON U. S. A.



#### TO OUR FRIENDS AND CUSTOMERS

It gives us a great deal of satisfaction in presenting to you this list of some of the rhododendrons growing in our garden. Since 1923 we have been collecting and growing the finest of rhododendrons available. From our varied collection of choice English hybrids and exotic species we invite you to select plants suitable to your individual preference and particular requirements.

#### **NEW INTRODUCTIONS**

For the first time we are offering two of our new rhodo-dendrons:

R. Mrs. Horace Fogg has a huge truss of nine and ten flowers, each flower being  $4\frac{1}{2}$ " to 5" across and  $2\frac{1}{2}$ " deep. The color of the corolla is Neyron rose 623/2. The throat is crimson 22. The tips of the corolla are Neyron rose 631/1. The leaves are dark green,  $2\frac{1}{4}$ " wide and 7" long.

R. Virginia Scott has a truss of eight flowers, each flower being  $3\frac{1}{2}$ " across and  $1\frac{1}{2}$ " deep. The color of the corolla is straw yellow 604/1. The buds are Mandarin red 17/2 fading to Chinese yellow 614/2. The foliage is dark green  $6\frac{1}{4}$ " long and 3" wide.

The color descriptions of the plants are from the Royal Horticultural Society color chart. As to hardiness the plants survived the blizzard of 1950 during which period the temperature registered zero.

#### THE CULTIVATION OF RHODODENDRONS

SOIL: Rhododendrons will grow in practically any soil which does not contain lime, this being detrimental to them. A good fibrous loam with a liberal mixture of peat and compost will grow them to perfection. It is important that the soil be well drained as all rhododendrons dislike stagnation of the roots. At one time it was thought impossible to grow them without a rich peaty soil, but this idea has long been obsolete, as may be seen by many fine specimens growing in our garden.

SITUATION: Almost any position will suit them, providing that they are not in absolute shade. A cool moist position in partial shade is best. Generally speaking the larger the leaf of the plant the more shade should be given. This applies to the large leaf species such as Falconeri, Hodgsonii, sino-Grande and Macabeanum, while the small leaf ones, especially the dwarfs with scaly and aromatic foliage, will stand exposure to the sun. Many beautiful varieties are eminently adapted to woodland planting and where thin woods are available, the grower has many advantages, as invariably the soil is ideal and there is no preparation necessary.

PLANTING: May be carried out from September to mid-June, providing the ground is in a good working condition. Do not plant too deep. Water well and mulch with decomposed leaves. After flowering it is important to remove all old blooms.

FERTILIZATION: Rhododendrons are no diflerent than any other plants in regard to fertilization and care. In the early years of our nursery we tried many different fertilizers, even at times mixing our own. For the past ten years we have been using Carstens Rhododendron Fertilizer exclusively with the best results. The fine foliage and good condition of our plants show the results of the use of Carstens Rhododondron Fertilizer. Carstens Rhododondron Fertilizer can be purchased at your favorite garden store in convenient packages. This is a product of Carstens Packing Company, manufacturers of the organic based NuLife Lawn and Garden Fertilizer and Carstens Rose Fertilizer.

### A Guide to Markings and Symbols Used in This Catalogue

The stars (\*\*) preceding the names of the varieties listed The stars (\*\*) preceding the names of the varieties listed indicate the relative garden merit accorded them by the Royal Horticultural Society in the degree of superlative excellence. Many fine varieties very often are not rated either because they are not readily found in the channels of trade, or because they are too new to have received recognition from the garden authorities; and among these are many rhododendrons of the highest order. In our opinion, all rhododendrons listed are of the finest quality and the fact that to some of them no stars are affixed does not in the least detract from their value as garden shrubs.

Aside from the value of the plants as garden shrubs. Aside from the value of the plants as garden shrubs, many varities have been listed as to hardiness. Thus, you will find after the name a letter, such as A, B, C, D, E or F. A indicates a rock hardy plant which will stand full exposure to sun or cold; B, hardy but requires some shade to obtain best results; C, hardy in a sheltered position; D, requires a moderate amount of shelter; E, requires shelter in most favored gardens; and F, usually a greenhouse shrub. These indications apply to conditions in England, which are similar to this area west of the Cascade Mountains; and it should be borne in mind that while most rhododendrons will stand full sun if kept well watered, they thrive better in partial shade, and should never be planted up against a south or west side of house where they will receive not only the full effect of the sun but added reflection of bright light and heat effect of the sun but added reflection of bright light and heat from the building.

Where the letter R appears after a plant name, it indicates it is a shrub suitable for a rockery.

PRICE MARKING: The plants price marked are available this season. If you are interested in an unpriced plant and desire at this time to place your order, we will notify you as to price when the plant is available. Additional information may be obtained by writing directly to us.

NOTICE: Our listings are not revised each year. This is a reference catalogue which we would like to feel will find a place in your gardening library. We cordially invite your questions. Any inquiry directed to us will be given our immediate attention.

#### CHOICE HYBRID RHODODENDRONS

Size & Price

4-12" | 12-18"

\*\*A. Bedford (B) lavender, dark eye
A. C. Kendrick (B) lilac rose with red purple
blotch

\*Adriaan Koster (B) creamy white, yellow center

Aladdin (B) pink
\*\*\*Albatross (C) white scented
\*\*\*Albatross (C) Town Hill form (new) \*\*Alice (B) deep pink fading to pale rose Amalfi—Cornubia x calophytum (new) Ambrose—Queen Wilhelmina x chaetomal-

lum

\*\*Amy (B) bright red

Androcles—early pink (new) Anita—pinkish-yellow Antonio—pink (new)

\*\*Argosy (B) white sweet scented
Aries—deep blood crimson (new)
\*Armistice Day (B) blood red
\*\*Arthur Osborn (B) dark scarlet

Arthur J. Ivens (B) pale pink astrocalyx (cross) (A) pink \*Atrosanguineum (A) bright red Aucklandi x Earl of Athlone

Augustenii-atro caeraleum
\*\*\*Avalanche (C) white (new)

Size & Price

4-12" |12-18"

Ayah rose red

\*\*\*Azor (B) salmon pink Azma-rose pink

Babylon—(new)
\*Bagshot Ruby (B) blood crimson
\*\*\*\*\*Barclayi var. Helen Fox (E) deep crimsonscarlet

\*\*\*\*Barclayi var. Robert Fox (E) deep blood-red

\*\*\*Beauty of Littleworth (B) white

\*\*\*Betty Wormald (B) pink, pale purple center Beacon (B)—(new)

Berry rose (B) deep orange, red in bud, salmon orange when open

Berry rose var. Belvedere (B) soft apricot pink

\*\*Bibiani (B) scarlet (new)

\*\*Black Beauty (B) dark velvet crimson

\*\*\*Blue Diamond F.C.C. (B) (R) blue

Blue Diamond—Sunningdale (new)

\*\*Blue Ensign (A) pale lavender, blue dark

spot

\*\*\*Blue Peter (A) pale lavender, blue deep blotch

\*\*\*\*Blue Tit (B) (R) blue

\*\*Bonfire (B) dark red

\*\*\*Bonito (B) pale pink (new)

\*\*\*Bo-Peep A.M. cream, with yellow throat (new)

\*Borde Hill (B) dark red

\*\*Bowbells (B) pink
Break of Day—rose crimson, shaded orange to yellow

Bric-a-Brac-milk-white (new) \*\*\*\*Britannia (B) bright crimson-red Brocade—(new)

\*\*Broughtonii aureum (B) yellow, azaleodendron

Burning Bush (B) red (new) Bulbul (C) white (new)

\*\*Butter Cup (B) yellow \*\*\*Butter Fly (B) pale lemon with chocolate blotch

\*\*Carita, a.m. (B) yellow (new)

\*\*\*Carmen (C) (R) dark crimson (new)

\*\*C. B. Van Nes (C) dark scarlet

\*\*Celeste (B) clear pink on white ground
Cheronia (B) pink (new)

\*\*\*Chinta (B) pale ochre

\*\*Clipinese (C) (R) pinkish white, April
Cinncrass—(new)

\*\*\*Carpish Crass (C) old rose, April

\*\*\*Cornish Cross (C) old rose, April

\*\*\*Cornubia (D) blood red

\*\*\*Corona (C) coral pink

\*Corry Koster (B) light pink, spotted crimson

crimson
Countess of Athlone (B) mauve

\*\*Countess of Derby (B) rose pink
Cowslip (B) yellow
C. P. Raffill (B) red (new)

\*\*Cunningham's Sulphur (B) yellow
Cunningham's White (A) white

\*\*Cynthia (B) rosy crimson

\*\*\*Dairy Maid (B) lemon yellow, flushed pink

\*\*\*Damaris (C) pale yellow

\*\*Dame Nellie Melba (C) pink
Dante (C) red (new)
Daphne (A) red
Daphneoides (A) vivid purple

Daphneoides (A) vivid purple Daubuzzi (C) yellowish rose \*\*David (C) red (new)

Size & Price

4-12" | 12-18"

\*\*\*Dawn's Delight (C) brick red to soft pink

\*\*Day Dream (C) orange Day Dream (C) red Day Dream (C) yellow

Day Dream (C) yellow

\*\*Dianne (B) yellow

\*\*Dido (B) orange pink

\*Diva (B) pink

\*Doncaster (A) red
Dormouse (B) (R) pink

\*\*Dr. O. Blok (B) pink

\*\*Dr. Stocker (C) ivory white
Duke of Cornwall (C) crimson \*\*\*\*Earl of Athlone (C) bright red

Edmundii (C) scarlet Eldorado (C) clear primrose yellow (new) \*\*\*Electra (C) blue (new)

\*\*\*\*Elizabeth (B) red (new)

\*\*\*Elsae (E) cream red blotch

\*\*Elspeth Slocock (B) scarlet bud fading to

apricot

Erebus (C) orange pink (new)
Erebus var: Bergei (B) (new)
\*Essex scarlet (B) deep crimson scarlet
Europa (B) pink, late (new)
Euryalus (C) red (new)
Everestineanum (A) rosy lilac
Exburiense (B) red, late (new)
E. C. Buddle (B) red F. C. Puddle (B) red

\*\*\*Fabia (B) shrimp pink to orange

var. Roman Pottery
var. Tangarine
var. Tower Court

\*\*\*Faggetter's Favourite (B) silvery pink \*\*Fastusosum flore pleno (A) double mauve

Felis (C) red (new)
\*\*Fire Ball (B) bright red Fire Bird (B) red

Fire Music (new) Fire Tail (B) red Flame (B) rosy red

Frame (B) Tosy Tea Fortune (C) yellow (new) \*Fragrans azaleoides (A) mauve \*\*\*Fragrantissimum (E) white Francis Hanger-pale rose to deep yellow

(new)

(new)

\*\*\*Fusilier (C) bright scarlet

\*Garnet (C) deep salmon-rose
G. A. Sims (B) deep scarlet-crimson
Gaul (C( blood red (new)
Gilian or Gina (B) red

\*\*\*Gills Crimson (C) blood crimson, early

\*\*Gills Triumph (D) strawberry red fading pink

\*\*\*\*Gladys (B) creamy yellow Gladys var. Bergei creamy yellow, flushed

pink (new)
\*\*\*\*Glory of Littleworth (B) yellow, dark

blotch, azaleodendron
Goblin (C) red (new)

\*\*Golden Horn (B) orange red (new)

\*\*\*Goldfort (B) creamy yellow

\*\*Goldsworth Crimson (B) crimson

\*\*Goldsworth Orange (A) pale orange

\*\*Goldsworth Pink (B) pink

\*\*Goldsworth Yellow (B) apricot

\*\*Gomer Waterer (A) blush white

\*\*\*Grenadier (C) dark crimson (new) Grevei (B) white, trace of pink Grosclaude—deep red (new)

Grierocaster—red R. Halcyone (C) buds pink, opening cream (new)

Size & Price 4-12" ,12-18"

\*Harvest Moon (B) creamy white, carmine blotch

Harlequin-(new)

Hawk var. Crest (B) (new)
Hawk var. Beaulieu—(new)
\*\*Humming Bird (B) deep pink, flushed

crimson (new) Ibex (B) delft rose Idaho (C)—(new)

\*\*Idealist (B) orange pink buds changing to

pale yellow Ightham Yellow (C) (new) Impi (B) deep crimson

\*\*Inamorata—cream flushed primrose

Indiana-orange red with redspots changing to orange yellow (new)

Isabella—white (new) Ispahan—(new)

Ithica—(new)

Ivanhoe-scarlet (new) \*Ivery's Scarlet—scarlet
Iviza (B) clear pink (new)
Jacksonii (A) rosy pink

Jaipur-crimson scarlet (new) Jalisco (C) creamy white (new)

\*Jan Dekins (B) pink, fringed
Jan Steen (B) shrimp pink (new)
Jasper (B) jasper red changing to yellow

(new)

Jean (B) rose pink, tall

\*\*J. G. Millais (B) deep blood red
Jocelyne—white blooms in April (new)

Jordan-(new)

\*Kate Greenaway (A) soft rose Karkov-deep rose crimson (new) Kiev-blood red (new)

\*\*\*Lady Alice Fitzwilliam (F) white \*\*\*\*Lady Bessbourough F.C.C. (B) pale yellow Lady Bessbourough var. Ottawa—(new)

\*\*Lady Bligh (C) strawberry-red

\*\*\*\*Lady Chamberlain F.C.C. (C) yellow

overlaid salmon orange Lady Chamberlain var. Chelsea, orange pink Lady Chamberlain var. Gleam, orange

yellow, crimson tipped
Lady Chamberlain var. Ivy
Lady Chamberlain var. salmon-trout, color
of cooked salmon trout

\*\*Lady Clementine Mitford (A) blush edged pink

\*\*Lady Primrose (B) lemon yellow red spots
\*\*\*\*\*Lady Rosebery F.C.C. (C) rose pink to rose crimson

Lady Rosebery var. Delmeny, soft satin pink \*Lady Stuart of Wortley (C) pink

\*\*Lavender Girl (B) lavender

Leda—(new)

Leo-Crimson scarlet, late (new)

Leonore—late, pink (new)
\*\*\*Letty Edwards A. M. (B) pale yellow

\*\*\*Little Ben (B) scarlet Little Bert (B) red (new)

Little Bill (B) pink (new)

\*\*Lodauric (C) late, white

\*\*\*\*Loders White (C) pale mauve, edge fading to white

\*\*\*\*Loderi: var. Game Chick

var. Goliath
var. Helen, pink fading to white
var. King George, snow white
var. Patience, white green inside

#### RHODODENDRONS H. L. LARSON

Size & Price 4-12" | 12-18"

var. Pink Diamond, pink opening white var. Pretty Polly

var. Titan

var. Sir Edmund

var. Sir Joseph Hooker, large, pink,

flushed flowers var. Superlative

var. Superlative
var. Venus, pink
var. White Diamond, white
\*\*\*Luscombei (C) pink
\*\*\*\*Luscombei, Leonardslee (C) soft pink
\*\*\*Luscombei, Sanguineum (C) deep rose

\*\*Mme. Fr. J. Chauvin (C) pink, pale center, deep blotch

deep blotch
Mme. Guilamot (C)
Mme. Wagner (B) pink, fading to white
Mandilay (B) red, low growing (new)
Marcia A. M.—primrose (new)
\*Margaret Bean (B) pink and yellow
\*\*Margaret Dunn (B) apricot, flushed pink
Mariloo A var. (C) yellow (new)

\*\*Marinus Koster (C) deep pink, brown blotch
\*\*\*Mars (B) deep true red
\*\*\*Matador—brilliant scarlet (new)

\*\*\*Matador-brilliant scarlet (new) \*\*\*\*Mary Swaythling (B) yellow

\*Mary Waterer (B) bright pink, light center, buff spots

\*\*\*\*May Day (C) scarlet

\*\*\*\*May Day (C) orange form

Mohamet (B) orange-crimson (new)

\*\*\*Moser's Maroon (B) maroon
\*\*\*Mother of Pearl (B) blush, turning white \*\*Moonstone A. var. (B) cream, edged pink \*\*Mrs. A. T. de la Mare (C) white with green spot

\*\*Mrs. Charles Pearson (B) blush, mauve

spotted burnt sienna

\*Mrs. E. C. Sterling (B) blush pink \*\*\*\*Mrs. Furnival (B) light pink, sienna blotch

\*\*\*Mrs. G. W. Leak (C) pink, with brown purple blotch

Mrs. Henry Agnew (B) white Mrs. Horace Fogg (B) pink, deep red center (new)

\*\*Mrs. Lindsay Smith (C) white

\*\*Mrs. Mary Ashley (B) salmon pink, shaded cream

\*\*\*Mrs. Philip Martineau (B) rose pink, pale yellow blotch

Mrs. Randall Davidson (new)

\*\*Mrs. R. S. Holford (B) rosy-salmon \*\*Mrs. Walter Burns (C) pink with bright red blotch

\*\*\*Mrs. W. C. Slococks (B) apricot pink, shaded yellow

\*\*\*\*Naomi (B) shades of pink suffused with

green & lilac var. A. M.

var. Astarte var. Carissima

var. Early Dawn

var. Exbury

var. Glow var. Hope

var. Nautilus A. M.

var. Nereid

var. Orpha var. Pink Beauty

var. Stella Maris F.C.C.

Size & Price 4-12" |12-18"

\*\*\*Nobleanum album (B) white

\*\*Nobleanum coccineum (B) bright scarlet

\*\*Nobleanum venustum (B) pink Olive—mauve pink (new) Orestes—(new)

\*Orion (A) rose pink, red eye Orbiculare hybrid—pink Pallida (B) (R) pink

\*\*\*\*Penjerrick (C) white

\*\*\*\*Penjerrick (C) creamy yellow

\*\*\*\*Penjerrick (C) pink

(new)
\*\*\*Pilgrim (B) soft pink

\*\*Pink Pearl (B) rose pink, fading to blush

\*\*Pink Delight (D) pink (new)
Pink Lady (B) pink
Pink Perfection (B) pink
\*\*\*\*Polar Bear (C) white, late, scented (new)

\*\*\*Polar Bear (C) white, late, scented (new)

\*\*\*Praecox (B) rosy lilac, evergreen

Prince C. de Rohan (B) rosy-pink

\*\*\*Princess Elizabeth (B) deep crimson (new)

\*Prof. J. H. Zaayer (B) bright light red

\*\*\*\*Purple Splendour (A) deep purple, black

spots \*\*Pygmalion (B) crimson-scarlet, spotted

black

\*\*\*Queen of the May (C) white
\*\*Queen Wilhelmina (C) scarlet, fading to rose pink
Quaver (C) leucaspis x sulfureum (new)
\*\*\*Racil (B) (R) shell pink

Radium (B) scarlet Rapture-scarlet (new)

\*\*Red Riding Hood (B) bright red Remo (C) bright butter yellow flower, March (new)

\*\*\*Romany Chai (B) orange scarlet \*\*\*Romany Chal (C) orange scarlet Romarez—scarlet (new)

\*Rosamund Millais cerise, blotched burnt umber

\*\*\*\*Royal Flush (E) orange \*\*\*\*Royal Flush (E) red

\*\*\*Rubens (B) rich deep red

\*\*\*Rubina (B) blood red, late

\*\*Sapphire (A) (R) blue

\*\*Sappho (A) white, spotted

\*\*Sarita Loder (C) pale, salmon pink

\*\*Scandinavia (B) scarlet-crimson
\*\*\*Shilsonii (C) blood red
Shot Silk (C) (new)
\*\*\*Sir Charles Lemon (B) white

Sir Frederick Moore—pink (new)
\*\*\*Snow Queen (B) pure white
\*\*\*Souv. of W. C. Slocock (B) yellow, shaded

apricot \*\*Souv. of A. Waterer (B) salmon red Sunrise (C) pink (new) \*\*\*Susan (B) lavender

Sussex Bonfire (B) red (new)

\*\*Sweet Simplicity (A) white edged pink
Tacoma var. Mrs. George Franklin—greenish
yellow (new)

\*\*\*\*Tally Ho (D) bright scarlet

\*\*Temple Belle (C) (R) pale rose

Testor Van Dyer Tessa (B) (R) mauve (new)

\*\*The Don (C) red fading to pink The Hon. Jean Mary de Montague (B) red Thomwilliams (B) (R) deep rose

Size & Price 4-12" |12-18"

\*\*Thunderstorm (B) deep red, white stamens

Toucan (B)—(new)

Torlonianum (C) purple and yellow (azaleodendron)

Treasure (B) (R) deep rose (new)

\*\*\*\*Unique (B) pale yellow

\*Unknown Warrior (C) bright red

Valaspis (new)

\*\*\*Vanessa (C) rose pink
Vangard (B) scarlet
Van Nes Sensation (C) pale lilac, white

center

Virginia Scott (B) clear yellow (new)

\*\*Vulcan (B) brick red
W. Leith (C) white

\*\*\*Werei (C) rose pink

\*White Pearl (B) blush changing to pure white

\*\*\*White Swan (C) white suffused pink
\*\*Yellow Hammer (C) butter yellow flowers in April

Yvonne (C) white (new)
\*\*Zuyder Zee (B) lemon yellow spotted

#### UNNAMED CROSSES OF BRITISH ORIGIN

aperantum x neriiflorum Argosy x Griersonianum Armistice Day x Griersonianum Arthur Osburn x Souliei Azor x auriculatum Britannia x repens Britannia x Loderi: King George Britannia x Purple Splendour campanulatum x florabunda chaetomallum x haematodes ciliatum x leucaspis Earl of Athlone x aucklandii Edmundi x arboreum
G. A. Sims x Loderi: King George
G. A. Sims x Tally Ho
Griffithianum x Houlstonii Humming Bird x repens
J. H. Van Nes x Loderi: King George lacteum x Loderi: King George lacteum x Mary Swaythling Lady Bessbourough x Azor Loderi: Venus x discolor x Thomsonii May Day x Rosy Morn
Mrs. J. H. Van Nes x Loderi: King George
Neried x discolor neriiflorum x Doncaster neriiflorum x phonicodum Norman Gill x Montague racemosum x pemakoense x spinuliferum racemosum x pemakoense x Keiskei Red Cap x Tally Ho Rosy Morn x May Day scyphocalyx x phoenicodum—red spinuliferum x bullatum Tally Hb x discolor—pink
Tally Ho x Thunderstorm—dark scarlet
Ungerni x auriculatum Wardii x Souliei

#### **EXOTIC SPECIES**

R. Aberconwayii—May, West China (new) \*\*\*\*R. Albrechtii (B) April, bright rose, 3-5 ft., Japan

Size & Price

4-12" | 12-18"

\*R. ambiguum (A) May, yellow spotted green, to 5 ft., Japan

\*\*R. anthopogon (B) April, pink, Northern India, Tibet

\*\*R. aperantum (B) orange, ½-1½ ft., Burma
\*\*\*R. apodectum (A) rich crimson to dull
orange to crimson, 4-8 ft., China

\*\*\*\*R. arboreum (D) blood red, Himalaya var. Roseum

var. Album \*\*R. argyrophyllum (A) with silver leaves;

white flushed rose, to 20 ft., China-Tibet
\*\*R. arizelum (C) with large leaves, white,
cream or yellow flowers with dark crimson blotch, 10-20 ft.

\*\*R. arizelum (C) best yellow form, China-Burma-Tibet

\*\*\*\*R. Augustenii (C) finest of the blue triflorums, shrub to 10 ft., China

var. Azureum
var. Tower Court
auriculatum (B) sweet scented, white.
July & August. Large shrub, to 15 ft., China

\*R. auritum (C) yellow touched with pink on lobes, shrub to 10 ft., April 1, Southeast Tibet

R. Baileyi (C) dark redish purple open flowers, shrub to 3 ft., late May, Tibet R. Bakeri—yellow to orange, 3-10 ft., July,

South-east U.S.

R. Balfourianum (B) pale rose flowers marked crimson, April 1, 4-8 ft., Tali Range, Yunnan

barbatum (B) bright crimson scarlet flowers, March, 10-20 ft., Himalaya \*\*\*\*R.

bauhiniiflorum (C) yellow flowers in May, shrubs to 8 ft., Manipur-Assam

\*\*\*R. Beaneanum (B) crimson flowers, April, small shrub, Tibet, Burma, Seinghku and Delei valleys

\*\*\*R. Beaneanum (B) pink flowers, April

\*\*R. Beesianum (C) white to rose flowers,
shrub to 20 ft., upper Burma

R. brachycarpum (A) creamy white flushed pink flowers, June, 6-10 ft., Japan \*\*\*\*\*R. bullatum (D) pink and white forms, large

flowers, April and May, China \*R. Bureavii (B) rose or redish flowers, April,

\*\*R. burmanicum (F) greenish to 6ft., China

\*\*R. burmanicum (F) greenish yellow or
white flowers, April and May, Burma

\*\*\*R. caeruleum (B) deep rose lavender or
white flowers and olive markings, shrub
3-5 ft., May, Yunnan, Tali Shan

\*\*\*P. calendulacoum (A) yellow or errore to

\*\*R. calendulaceum (A) yellow or orange to scarlet, 4-10 ft., May and June

\*\*\*R. callimorphum (B) soft rose with crimson blotch, 4-9 ft., April-May, W. Yunnan, Salween Divide

\*\*\*R. calophytum (B) large trusses, white or pink with blotch, 10-20 ft., May, W. Szechuan

\*\*\*R. calostrotum (A) bright magenta purple, also rose, to 1 ft., May, North-east Burma

\*\*\*R. caloxanthum (B) pale sulphur yellow tipped orange, also orange form, 3-5 ft., April, Burma

#### • RHODODENDRONS H. L. LARSON

Size & Price

4-12" | 12-18"

R. campanulatum (B) various shades white rosy white, rose purple and almost blue, April, Himalaya var. Knaphill

R. Campbelliae (C) purplish-rose, 6-10 ft.,

India

- \*\*\*\*R. campylocarpum (B) canary yellow, 4-8 ft., April-May, Himalaya var. elatum
  - R. camtschaticum (A) reddish-purple, inches, May, N.E. Asia, N.W. America

R. cardiobasis white or rose, shrub to 10 ft., China

\*\*\*R. catacosmum (B) crimson-rose flowers, 6-9 ft., April, Tibet

\*\*\*R. cerasinum (C) cherry red, bright scarlet, or creamy white with cherry red band

\*\*\*\*R. chaetomallum (C) deep crimson flowers, 2-3 ft., March, Tibet-China

var. xanthanthum (C) creamy yellow, flushed pink
\*\*R. chameunum (A) deep purple rose flow-

ers, small shrub, June, China
\*\*R. chartophyllum (B) mauve, to 6 ft., May,

Yunnan

var. praecox

\*\*\*R. chasmanthoides (C) rose lavender, May, 8 ft., China-Tibet

\*\*\*\*R. chasmanthum (C) deep lavender mauve, May, 8 ft., China-Tibet

R. chrysanthum (B) pale yellow flowers

about 1 ft., China iliatum (C) best form April, 3-6 ft., Himalaya \*\*\*R. ciliatum form, rose flowers, var. Bergei

\*\*\*R. cilicalyx (F) sweet scented white or rose flowers, April, to 10 ft., China
\*\*\*\*R. cinnabarinum (B) May and June, to 6 ft.

Himalaya

var. blandfordiaeflorum-yellow flushed red at base var. Roylei-intense rosy red

\*\*\*\*R. cinnamomeum (C) white to pale rose, May, India

May, India
\*R. Clementinae (B) creamy white flushed rose, 4-6 ft., China
\*\*\*R. concatenans (C) apricot tinged purple, April, May, to 6 ft., Tibet

\*\*\*R. crassum (D) white sweet scented flowers, June, to 20 ft., China
crebreflorum (C) pale pink, April, prostrate shrub, China
R. cremastum (A) rose purple, April, small shrub, western Yunnan

\*\*\*R. croceum (C) yellow flowers, May, small tree. China

tree, China

\*R. cuneatum (A) deep rose flowers, April, shrub to 4 ft., China \*\*R. cyanocarpum (C) white to rose, April, 5

ft., China \*\*R. cyclium (B) deep rose, May, 4-6 ft.,

China \*\*\*R. Dalhousiae (F) large tubular flowers

white flushed pink, 6-10 ft., Himalaya
R. Davidii—rosy red to lilac flowers, to 12

ft., Yunnan \*\*\*R. Davidsonianum (B) pink flower with red spots, April and May, to 6 ft., China

Size & Price

4-12" |12-18" \*\*R. decorum (C) pink to white, March to

May, 12 ft., China

\*\*\*R. deleiense (C) deep magenta rose, 2 ft., Delei Valley Assam
R. detonsum (B) rose pink flowers, to 9 ft.,

Yunnan Sung-Kwei Divide
\*\*R. diaprepes (D) white flushed rose, July
10 ft., China-Burma

\*\*\*R. dichroanthum (B) deep orange to salmon pink, May and June, to 6 ft., China var. Prince of Wales

\*\*R. didymum (B) deep black crimson, June and July, 2-3 ft., Tibet

\*\*R. diphrocalyx (C) rosy crimson, April, 5
15 ft. China

15 ft., China

\*\*\*R. discolor (B) white and pink forms, July, shrub to 20 ft., China
R. dolerum (C) white to rose, South-western

Szechuan

\*\*\*\*R. Elliottii K.W. 7725 (C) crimson-scarlet, also rose-purple form, June, India
\*\*\*\*R. eriogynum (D) clear bright red, June,

China

R. erythrocalyx (B) creamy white, crimson blotch, 6-8 ft., Yunnan var. docimum

\*\*\*\*R. euchaites (C) crimson-scarlet, April-May, shrub to 10 ft., China-Burma

R. eudoxum (C) crimson rose, rose or pink flowers, 3-6 ft., N.W. Yunnan, Mekong-Salween Divide

\*\*\*\*R. Falconeri (C) creamy white to pale yellow flowers, May, fine large foliage, shrub to 40 ft., Himalaya

\*\*\*R. Fargesii (B) light pink, April, shrub to 8 ft., China

\*\*\*R. fastigiatum (A) purple, small shrub for rockeries, Yunnan, W. China
\*R. Faurie (B) white or yellowish flowers,

5-10 ft., Japan

\*\*\*R. fictolacteum (B) white, cream or rose flowers in April, shrub to 15 ft., China \*R. floccigerum (C) rose to crimson, March-April, 3-5 ft., Yunnan \*\*\*\*R. Forrestii (B) crimson flowers, April, a

creeping shrub, Yunnan-Tibet
\*\*\*R. Fortunei (B) pinky lilac, April, shrub to

15 ft., Eastern China

\*\*R. fulgens (B) bright scarlet, March, 6-12 ft., Himalaya

\*\*R. fulvum (B) white flushed rose with crimson blotch, March, April, shrub to 20 ft., China

R. galactinum (A) pale rose with crimson

blotch, April and May, 12-20 ft., China
\*\*R. glaucum (B) old rose, May, small shrub
to 4 ft., Himalaya

\*R. glischrum (C) dull magenta pink with crimson blotch, May, 6-20 ft., China \*\*\*\*R. Griersonianum (D) geranium scarlet, June, shrub to 8 ft., China

\*\*\*\*R. Griffithianum (E) white spotted green

\*\*R. Griffithianum (E) white spotted green shrub to 18 ft., Himalaya

\*\*R. gymnocarpum A.M. (A) deep crimson flowers, April, 2-3 ft., S.E. Tibet

\*\*R. haemaleum (A) deep black crimson flowers, May, shrub to 4 ft., Tibet

\*R. haematocheilum (C) flowers open deep red and fade to almost white, March and April, shrub to 10 ft., China

\*\*\*\*R. haematodes (B) scarlet crimson flowers, May, shrub 3-4 ft., China

Size & Price

4-12" | 12-18"

\*\*R. Hanceanum nanum (C) yellow flowers in April, very dwarf, China

\*\*\*R. hemitrichotum (C) white to pale pink flowers, April, 2-3 ft., China

\*R. herpesticum (B) dull yellow to orange red flowers, May, 1 ft., Upper Burma

\*\*\*\*R. hippophaeoides var. Haba Shan (A) bluish lilac flowers, April, 2-3 ft.

\*\*B. Hodgsonii (B) dull magenta purple flowers.

\*\*R. Hodgsonii (B) dull magenta purple flowers, April, shrub to 20 ft., Himalaya

R. horeaum (B) deep crimson flowers, May, small shrub, S.E. Tibet
R. Houlstonii (C) white or pale pink flowers, May, shrub to 12 ft. Hupeh: Eastern Szechuan

\*\*\*\*R. impeditum (A) mauve or purplish blue flowers, April and May, low shrublet,

\*\*R. imperator (A) old rose flowers, May, flat

carpet, difficult, Burma

\*\*\*R. insigne (A) pinky white flowers, spotted
crimson, May, shrub to 10 ft., China

\*\*\*R. intricatum (A) mauve flowers, April and

May, small shrublet, China
\*\*R. irroratum (C) white to creamy yellow flowers, March-April, shrub to 25 ft., China

R. izuense (B) pale pink flowers, shrub to 4 ft., Japan

\*\*\*R. Johnstonianum (C) fragrant yellow flowers spotted red, May, shrub to 5 ft., Manipur

R. jucundum (C) rose, pale rose to almost white, shrub to 2 ft., Western Yunnan: Tali Range

\*\*R. Keiskei (A) clear lemon yellow flowers, April, small shrub, also a creeping form, Japan

\*\*R. keleticum (A) deep purple, crimson flowers, June, dwarf alpine, Tibet \*\*R. Keysii (C) bright red tipped with yellow,

June, shrub to 10 ft., Bhutan
\*\*\*\*R. Kyawi (E) rose scarlet flowers, July,

much hardier than its rating, Burma

\*\*\*\*R. Kingianum (C) red, June, Himalaya
\*R. lanatum (C) pale yellow spotted crimson
purple flower, April, shrub to 10 ft., Himalaya

R. lapponicum (R) Hu No. 14444 purple

flowers, small shrub

\*\*\*R. ledoides (C) flowers clears rose, small
shrub, China

\*\*\*R. leucaspis (C) milk white flowers, Febru-ary, March, small shrub, Tibet R. liliiflorum (F) white scented flowers,

June, shrub to 8 ft., Kweichow, Pin-Fa.

\*\*\*R. Lindleyi (E) sweet scented white flowers, May, Himalaya

\*\*R. litiense (C) clear yellow flowers, May, shrub to 8 ft., China
\*\*\*\*R. Macabeanum (C) pale yellow to yellow-

ish white, March, tree to 45 ft., large leaves, Manipur

\*\*\*R. Maddenii (E) white flushed rose flowers,
June, shrub to 8 ft., Himalaya

\*\*R. mallotum (C) dark crimson flower,
March, small tree to 15 ft., China-Burma
R. Mariesii (F) rose purple, 3-10 ft., China

\*\* R. Martinianum (C) pale rose flowers,
April, 3-6 ft., China

\*\*\*R. megacalyx (S) fragrant white flowers,
May, small tree to 10 ft., Eurma

Size & Price

4-12" |12-18" \*\*R. megeratum (D) bright yellow flowers, dwarf, 1-2 ft., Himalaya \*\*R. Metternichii var. tsukushiana (A) clear

pink flowers, April, very bushy, Japan

R. micranthum (A) tiny milk white flowers,
July, bush to 6 ft., China
\*\*R. microgynum (B) dull rose spotted crim-

son, April, shrub to 4 ft., Tibet
\*\*\*\*R. moupinense (B) white to rose flowers,
February, spreading shrub to 4 ft., Tibet-China

var. Reseum-with rose flowers \*\*\*\*R. mucronatum (C) white, mauve or pink flowers, May, shrub to 6 ft.

\*\*\*\*R. mucronulatum (B) bright rosy purple flowers, January, shrub to 7 ft.

\*\*\*\*R. myrtilloides tiny plumb colored flowers,

May, 3-4 inches

\*\*\*\*R. neriiflorum (C) bright scarlet flowers,

\*\*\*\*\*R. Nuttallii (F) fragrant clear light yellow flowers, very large, April, May, shrub to 30 ft., Bhutan

\*\*\*R. occidentale (A) white to pink flowers,
June, shrub to 8 ft., N.W. America
\*\*\*R. oleifolium (D) pink to white flowers,

April, small shrub, China

\*\*\*\*R. orbiculare (B) rose pink, April, shrub

\*\*\*R. orbiculare (B) rose p...

to 10 ft., China

\*\*R. oreodoxa (B) pink flowers, March and
April, shrub or small tree, China

\*\*\*R. oreotrephes (B) mauve-pink or mauve
flowers, May, shrub to 7 ft., China-Tibet
R. pachytrichum (C) pale rose flower with
purple blotch, April, shrub 6-18 ft.,

R. pankimense (C) crimson with darker spots, small tree, Tibet, Pankimla, Assam
\*\*R. pemakoense (A) pinky mauve flowers,
April, small under shrub, Tibet

\*\*\*R. polyandrum (D) white flushed pink flowers, June, shrub of 3 ft., Bhutan
R. polyepis (B) dark purple flowers, May, shrub to 12 ft., Yunnan
R. ponticum (A) mauve flowers, June, Asia

Minor

\*\*R. praevernum (C) white or rose flowers,

March, large shrub, China

\*\*\*R. pubescens (B) pink or white flowers,
April, shrub to 4 ft., China

R. punctatum (B)

\*\*\*\*R. racemosum (A) (R) bright pink flowers,
April, shrub to 4 ft., China

\*\*R. radicans (B) (R) purple flowers, May,
2-4 inches, Tibet

\*\*\*\*R. repens (A) scarlet flowers, April, May,
creeping shrub, 6-12 inches, China-Tibet \*\*\*\*R. repens forma

\*\*\*\*R. repens chamaedoxa

\*\*\*\*R. repens chamae—Thomsonii

\*\*\*R. reticulatum (A) bright purple flowers,

\*R. riparium (A) bright purple flowers,
April, shrub to 8 ft., Japan

\*R. rhantum (C) pale rose flowers, May,
shrub to 20 ft., Yunnan

\*\*R. riparium (A) (R) bright purple flowers,
May, 1-1½ ft., Mishmi Hills

R. resection tum. (R) flowers, white

R. roseotinctum (B) flowers white, rose or yellowish rose, small shrub, Yunnan
\*\*\*R. rubiginosum (A) rosy lilac flowers, April,
shrub to 30 ft., China

Size & Price 4-12" | 12-18"

\*\*R. rupicola (A) (R) plumb crimson flowers, April-May, 1-2 ft., China \*\*\*\*russatum (A) (R) deep blue purple flowers,

\*\*\*\*R. saluenese (A) (R) deep blue purple flowers,
April-May, small shrub, China

\*\*\*R. saluenese (A) (R) purple crimson
flowers, May, shrub to 2 ft., China

\*\*\*R. sanguineum (B) bright crimson flowers,
May, shrub to 3 ft., China

\*\*\*R. Sargentianum (C) (R) lemon yellow
flowers, May, shrub to 2 ft., China

\*\*\*\*R. Schlippenbachii (C) pale rose-pink flowers.

\*\*\*\*R. Schlippenbachii (D) pale rose-pink flowers.

\*\*\*\*R. Schlippenbachii (D) pale rose-pink flowers.

\*\*\*\*R. Schlippenbachii (D) pale rose-pink flowers.

ers, April, shrub to 15 ft., Japan, Korea
\*\*\*\*R. scintillans (A) (R) lavender blue flowers,
April, shrub 2-3 ft., China

\*R. Scottianum (F) sweet scented white flowers, shrub to 12 ft., Yunnan

flowers, shrub to 12 ft., Yunnan
R. scyphocalyx (B) rose-orange to cinnabar yellow flowers, June, Burma
R. serpyllifolium (D) small rose pink flowers, May, shrub to 4 ft., Japan
R. Sherriffii (B) deep rich carmine flowers, shrub to 16 ft., Tibet

\*\*\*R. Simsii (F) dark red spotted flowers, May, shrub to 5 ft., China

\*\*\*\*R. sinogrande (D) creamy white flowers, April, tree to 30 ft., China, Burma, Tibet

\*R. Smirnowi (A) rose flowers, June, bush
4-6 ft., Caucasus

\*\*\*\*R. Souliei (B) white to deep rose flowers, late May, shrub to 12 ft., China

\*\*R. sperabile (B) scarlet flowers, April, 3-6 ft., Burma

ft., Burma

\*\*\*R. sperabiloides (B) deep to light crimson flowers, April, 2-4 ft., Tibet

\*\*\*R. sphaeranthum (C) white to rose flowers, May, 2-4 ft., China

\*\*\*R. spinuliferum (C) narrow tubular flowers, crimson to brick red, April, shrub to 8 ft., China

\*\*\*R. Stewartianum (C) rose to deep crimson flowers, March, bush 3-7 ft., China-Burma

\*\*\*\*R. strigillosum (B) crimson scarlet flowers,
March, shrub to 20 ft., China

\*\*R. suberosum (C) white flushed rose flowers, May, shrub to 7 ft., Yunnan

\*\*\*R. sutchuenense (B) rosy lilac flowers, Feb-

ruary and March, shrub to 20 ft., China \*\*\*R. Taggianum (E) fragrant white flowers with

\*\*R. telopeum (B) bright yellow flowers with crimson blotch, May, shrub to 3 ft., Tibet

\*\*\*R. tephropeplum (C) magenta rose flowers with crimson purple tube, May, bush 2-7 ft., Tibet-Burma

\*\*R. Thayerianum (B) white flowers tinged pink, June and July, shrub to 12 ft., China

\*\*\*\*R. Thomsonii (B) deep blood red flowers,
April, bush to 12 ft., Himalaya
R. Traillianum (B) white or white flushed

rose flowers with crimson spots, tree 20 ft., Yunnan

\*R. triflorum (D) var. mahoganii, shrub to 8 ft., Bhutan

Valentinianum (D) (R) bright butter

yellow flower, April, shrub 2-3 ft., China Vaseyi (B) pale pink to pink flowers, May, shrub to 12 ft., N. America \*\*\*\*R. \*\*R. venator (C) scarlet flowers, end of May, shrub to 10 ft., Tibet

Size & Price

4-12" |12-18"

\*\*R. vernicosum (B) clear pink flowers, May, small tree to 25 ft., China
\*R. villosum (B) bright magenta-purple, May, shrub to 20 ft., China
\*R. villosum Tower Court form
\*R. Wallichii (C) lilac spotted rose, April,

India

\*\*\*R. Wardii (C) bright yellow flowers, May, shrub to 20 ft., China \*R. Wightii (B) pale yellow flowers spotted crimson outside, April, shrub to 15 ft., Himalaya

\*\*\*\*R. Williamsianum (C) (R) clear shell pink flowers, April, spreading shrub to 5 ft., China

\*R. Wiltonii (B) white or flesh pink flowers,

\*\*\*\*R. yunnanense (B) white flowers spotted red, May, shrub to 10 ft., China

\*\*R. zaleucum (D) white or rose flowers, April, shrub to 20 ft., China-Burma

#### SEEDS

Seeds of the various species are usually available. Your inquiries will be appreciated.

#### AZALEAS EVERGREEN

Alice-orange-red Apple Blossom-white shaded pink Bengal Fire-brick red Betty—orange pink Cattleya—lilac tinted white Eddy—brilliant orange-red \*Fedora—salmon rose Gretchen—dark mauve Haru-No-Kyokii-white Heiwa—rose Hexe-crimson double Hinodegeri-deep carmine Hinamayo-pink Ivitte—salmon pink Jeanette—rose red John Cairns-Indian red Kirishima-damask rose Koran-Yuki-orange red Leo-bright orange Louise-soft pink Macrantha coccineum Macrantha—claret rose Marie—deep pink Maxwellii-carmine red Mucronatum Alba Mucronatum—ripense Mucronatum—red Oberon-soft pink Obtusum Macrostemon Korin-Shita Obtusum Macrostemon Korin-Shita—orange Obtusum Macrostemon Korin-Shita—pink Othello—brick red Pink Pearl-pink Red Star-red Ruby (Sanderi) Sakon—cerese, white stripes Wadai Bungonishiki—terra cotta, double, late Wadai Chichibu-white, very large, late

#### **AZALEAS DICIDUOUS**

<sup>\*\*</sup>Coccinea Speciosa—orange scarlet \*Col. F. R. Durham—yellow

Size & Price 4-12" (12-18"

\*Daviesii-white

\*\*Delicatissima—cream

\*\*Dr. M. Oosthoek—orange red \*Dr. Reichenbach—salmon orange

\*\*Exquisita—cream

\*Fanny-magenta pink tinted purple Gold Finch Golden Oriole

Graciosa-creamy pink orange yellow spot

Irene Koster—rose pink
\*\*Magnifica—creamy white flushed pink

\*\*Mrs. G. Van Noordt—salmon pink Nicolas Beets—deep orange Phidias-cream flushed orange

\*Raphael de Smet-white shaded rose

Visitors are always welcome at the nursery where there are rhododendrons in flower from late February to August. We have used a number of the finest of rhododendrons as parent plants for hybridizing. As a result of our hybridizing we now have approximately 500 crosses in various stages of growth from which in the near future we will endeavor to introduce many new and fine rhododendrons to our friends and customers.

We are members of the Royal Horticultural Society, London, England. We are also members of the Tacoma Rhodoendron Society, which is affiliated with the Royal Horticultural Society, England and the American Horticultural Society, Washington, D. C.

#### TERMS

All plants are offered subject to being unsold on receipt of order. Cash must accompany all orders.


Packing is free and all plants are boxed in plywood containers. Plants will be forwarded by Railway Express unless otherwise instructed. Our responsibility ceases when plants are shipped.

We take every precaution when packing to minimize the danger of damage to the plants and cannot be responsible for delay, damage or loss of plants in transit.

4-5-52

There are very few insect pests to attack rhododendrons in Western Washington. The Rhododendron Lace-Bug, Rhododendron White Fly and Black Vine Weevil make their appearance at times. Of these insects the Black Vine Weevil is the most serious, the grubs feeding on the roots and finally girdling the stem just below the ground. The chewing of the roots and girdling of the stem is done in the spring, usually in April. We recommend the soil treatment at that time with Carco-X, one teaspoon to one quart of water. Another treatment should be given in September to control any stray insects or larvae that may be in the soil. It is quite hard to detect these insects under the ground. However, the adult beetles will chew the edges of the leaves and this should indicate their presence. A mixture of 1 to 250 will control Aphis and other such insects.

We have found that Carco-X is the most economical spray obtainable and have had good results with it for a number of years.



#### At Your Favorite Garden Store

FERTILIZATION: Rhododendrons are no different than any other plants in regard to fertilization and care. In the early years of our nursery we tried many different fertilizers, even at times mixing our own. For the past ten years we have been using Carstens Rhododendron Fertilizer exclusively with the best results. The fine foliage and good condition of our plants show the results of the use of Carstens Rhododoendron Fertilizer. Carstens Rhododondron Fertilizer can be purchased at your favorite garden store in convenient packages. This is a product of Carstens Packing Company, manufacturers of the organic based NuLife Lawn and Garden Fertilizer and Carstens Rose Fertilizer.

### CARSTENS RHODODENDRON FERTILIZER

			4-8-8	Price Each
100	LB.	PAPER	BAGS	\$6.50
25	LB.	PAPER	BAGS	2.25
5	LB.	PAPER	BAGS	.70



